Doc Code: AP.PRE.REQ

PTO/SB/33 (07-05)

Approved for use through xx/xx/200x. OMB 0851-00x

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

The review is requested for the reason(s) stated on the attached sheet(s). Note: No more than five (5) pages may be provided.    The review is requested for the reason(s) stated on the attached sheet(s). Note: No more than five (5) pages may be provided.    The review is requested for the reason(s) stated on the attached sheet(s). Note: No more than five (5) pages may be provided.    Type of content of the entire interest. See, 37 CFR 3.71, Statement under 37 CFR 1.34. Registration rumber a attorney or agent of record. 34,628	PRE-APPEAL BRIEF REQUEST FOR REVIEW		Docket Number (Optional)			
with the U.S. Patent and Trademarks Office Addressed to "Mail Step AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" [37 CFR 1.8(a)] on			05032-00053			
addressed to "Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Navardia, Va 2231-1450" [S7 CFR 1.8(a)] and Discontinuous Topology of Patents, P.O. Box 1450, Navardia, Va 2231-1450" [S7 CFR 1.8(a)] and Discontinuous Topology of Patents, P.O. Box 1450, Navardia, Va 2231-1450" [S7 CFR 1.8(a)] and Discontinuous Topology of Patents, P.O. Box 1450, Navardia, Va 2331-1450" [S7 CFR 1.8(a)] and Discontinuous Topology of Patents, P.O. Box 1450, Navardia, Va 2331-1450" [S7 CFR 1.8(a)] and Discontinuous Topology of Patents, P.O. Box 1450, Navardia, Va 2331-1450" [S7 CFR 1.8(a)] and Discontinuous Topology of Patents, P.O. Box 1450, Navardia, Va 2331-1450" [S7 CFR 1.8(a)] and Discontinuous Topology of Patents, P.O. Box 1450, Navardia, Va 2331-1450" [S7 CFR 1.8(a)] and Discontinuous Topology of Patents (Patents) and Discontinuous Topology of Patents, P.O. Box 1450, Navardia, Va 2331-1450" [S7 CFR 1.8(a)] and Discontinuous Topology of Patents (Patents) and Discontinuous Topology of Pat		Application N	lumber	Filed		
Antoon J.G. van Rossum  Art Unit Examiner  1746 Mikhail Kornakov  Applicant requests review of the final rejection in the above-identified application. No amendments are being filed with this request.  This request is being filed with a notice of appeal.  The review is requested for the reason(s) stated on the attached sheet(s). Note: No more than five (5) pages may be provided.  I am the  applicant/inventor.  assignee of record of the entire interest. Sea 37 CFR 3.73 (b) is enclosed. (Form PTO/SB39)  Kegistration number 34,628  attorney or agent of record. 34,628  Antoon J.G. van Rossum  Mikhail Kornakov  Mikhail Ko	addressed to "Mail Stop AF, Commissioner for		,942	April 2, 2004		
Art Unit Typed or printed Laurie Hall Typed or printed name Typed or p	on Alcenter 7, 2007	First Named Inventor				
Typed or printed Laurie Hall  Applicant requests review of the final rejection in the above-identified application. No amendments are being filed with this request.  This request is being filed with a notice of appeal.  The review is requested for the reason(s) stated on the attached sheet(s).  Note: No more than five (5) pages may be provided.  I am the  applicant/inventor.  ssignature  John P. Iwanicki  Typed or printed name  (617) 720-9600  Telephone number  attorney or agent acting under 37 CFR 1.34.  Registration number if acting under 37 CFR 1.34.  Registration number if acting under 37 CFR 1.34.  NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required.  Submit multiple forms if more than one signature is required, see below*.	Signature Sacriff Half	Antoon J.G. van Rossum				
Applicant requests review of the final rejection in the above-identified application. No amendments are being filed with this request.  This request is being filed with a notice of appeal.  The review is requested for the reason(s) stated on the attached sheet(s). Note: No more than five (5) pages may be provided.  I am the  applicant/inventor.  assignee of record of the entire interest. See 37 CFR 3.71, Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)  Typed or printed name  Attorney or agent of record. Registration number attorney or agent acting under 37 CFR 1.34.  Registration number if acting under 37 CFR 1.34.  NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.		Art Unit		Examiner		
with this request.  This request is being filed with a notice of appeal.  The review is requested for the reason(s) stated on the attached sheet(s).  Note: No more than five (5) pages may be provided.  I am the  applicant/inventor.  assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed.  (Form PTO/SB/96)  X attorney or agent of record. Registration number  attorney or agent acting under 37 CFR 1.34. Registration number if acting under 37 CFR 1.34.  NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.		1746		Mikhail Kornakov		
The review is requested for the reason(s) stated on the attached sheet(s).  Note: No more than five (5) pages may be provided.  I am the  applicant/inventor.  assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/S8/96)  X attorney or agent of record. Registration number  attorney or agent acting under 37 CFR 1.34. Registration number if acting under 37 CFR 1.34.  NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.						
Note: No more than five (5) pages may be provided.  I am the  applicant/inventor.  assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)  X attorney or agent of record. Registration number  attorney or agent acting under 37 CFR 1.34.  Registration number if acting under 37 CFR 1.34.  NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.	This request is being filed with a notice of appeal.					
assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)  Attorney or agent of record. Registration number  attorney or agent acting under 37 CFR 1.34.  Registration number if acting under 37 CFR 1.34.  NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required.  Signature  John P. Iwanicki  Typed or printed name  (617) 720-9600  Telephone number  Date  NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required.  Submit multiple forms if more than one signature is required, see below*.						
assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)  Attorney or agent of record. Registration number  attorney or agent acting under 37 CFR 1.34.  Registration number if acting under 37 CFR 1.34.  NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required.  Submit multiple forms if more than one signature is required, see below*.	lam the					
assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)  Attorney or agent of record. Registration number  attorney or agent acting under 37 CFR 1.34.  Registration number if acting under 37 CFR 1.34.  NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required.  Submit multiple forms if more than one signature is required, see below*.	applicant/inventor.	••	Sul	lual		
See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed.  (Form PTO/SB/96)  Typed or printed name    X   attorney or agent of record.   34,628   (617) 720-9600	assignee of record of the entire interest.		( )	•		
attorney or agent of record. Registration number 34,628 (617) 720-9600  Telephone number attorney or agent acting under 37 CFR 1.34.  Registration number if acting under 37 CFR 1.34 Date  NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.	See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed.					
attorney or agent acting under 37 CFR 1.34.  Registration number if acting under 37 CFR 1.34  NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.	X attorney or agent of record.		(617)	720-9600		
Registration number if acting under 37 CFR 1.34	registration number	_,	Tele	phone number		
NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required.  Submit multiple forms if more than one signature is required, see below*.	attorney or agent acting under 37 CFR 1.34.		Durunb	v 7,2007		
Submit multiple forms if more than one signature is required, see below*.	Registration number if acting under 37 CFR 1.34	<del></del>		Date		
X statute 1 farma are submitted						

This collection of information is required by 35 U.S.C. 132. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11, 1.14 and 41.6. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## PATENT ATTORNEY DOCKET NO. 05032-00053

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)
Antoon J.G. van Rossum and Antonius F.M. Bertels	) Examiner: ) Mikhail Kornakov
Serial No.: 10/815,942	) Art Unit: 1746
Filed: April 2, 2004	) Conf. No.: 8940
Title: REMOVABLE PROTECTIVE COATING	)

Commissioner for Patents Mail Stop AF P.O. Box 1450 Alexandria, VA 22313-1450

## REASONS IN SUPPORT OF REQUEST FOR PRE-APPEAL BRIEF REVIEW

Dear Sir:

Applicants respectfully request pre-appeal brief review for the following reasons.

## I. Claims 29-40 Are Nonobvious Over Yoshida et al. in View of JP 51127181 Alone or in Combination with Wieczorrek

29-37 and 39-41 stand rejected under 35 U.S.C. § 103(a) as being unpatentable over Yoshida et al., U.S. Patent No. 5,574,117 in view of JP 51127181. Claim 38 stands rejected over Yoshida et al. and JP '181 further in view of Wieczorrek, U.S. Patent No. 4,409,266. The Examiner believes that Yoshida's vague reference to agricultural purposes teaches greenhouse applications. No such teaching can be derived.

The amended claims are directed in part to a greenhouse having a *removable* protective *coating* that is *adhered to* a substantially transparent surface. Applicants' claimed protective coating has an adhesive strength that overcomes the disadvantages of insufficient adhesion or adhesion that is too strong (paragraph [0011]). When the adhesive strength of a greenhouse coating is too low, the coating will not be resistant to weather influences and it will be necessary to restore or replace the coating several times per season (paragraph [0003]). When the adhesive strength of a greenhouse coating is too strong, it requires much effort to remove the coating at the end of the season. *Id.* In contrast to the art at the time of filing, Applicants' claimed protective coating can easily be removed from the greenhouse when its presence is no longer required.

Applicants respectfully submit that greenhouses known in the art at the time of filing were either constructed from polymeric films or from materials such as glass and steel. In the art, when a greenhouse was constructed from a polymeric film, that film needed to be *transparent* for the crops in the greenhouse to receive sufficient light. In contrast to greenhouses known in the art at the time of filing, the coating of the claimed invention can reduce or even block UV radiation during periods wherein the sunlight is too harsh.

The Office Action fails to identify any reference that teaches the claimed coating on a greenhouse, and a combination of the cited references fails to provide such a teaching. Based on the teachings of Yoshida et al. in view of JP '181, one of skill in the art would not arrive at the claimed greenhouse having a substantially transparent surface and a removable protective coating adhered to the substantially transparent surface. Nowhere does Yoshida et al. teach or suggest using their formulations with any greenhouse, let alone Applicants' claimed greenhouse having a removable protective coating adhered to the substantially transparent surface. Indeed,

the Office Action admits, at page 3, that Yoshida et al. does not teach their coating as a greenhouse. Instead, Yoshida et al. teaches an alkali-soluble film for agricultural uses such as for packaging of food for animals (column 8, lines 17-27). Yoshida et al. teaches that the films taught therein are "useful as a packaging film, a base material of labels, and in addition, as a separating film..." Id. Nowhere does Yoshida et al. teach or suggest a removable protective coating that is adhered to the substantially transparent surface of a greenhouse. Yoshida et al. fails to recognize that any greenhouse could be made using their materials, let alone appreciate that a greenhouse having a substantially transparent surface and a removable protective coating adhered to the substantially transparent surface could be made or would provide the advantages of Applicants' claimed greenhouse.

Further, the *films* of Yoshida et al. are *not equivalent* to Applicants' claimed *adhesive coating*, and one of ordinary skill in the art would not arrive at Applicants' claimed protective coating adhered to a substantially transparent surface of a greenhouse based on the mere teachings of a *film* by Yoshida et al. At the very most, one of skill in the art may be motivated to fashion packaging items, labels or separating items from Yoshida's films. It is not apparent in the teachings of Yoshida et al. that it would even be possible to somehow transmute their films into the claimed adhesive coating. In any case, Yoshida et al. provides absolutely no motivation to do so. For at least these reasons, based on the teachings of Yoshida et al., one of ordinary skill in the art would *not* arrive at an *adhesive coating* for use on a greenhouse.

JP '181 fails to cure the deficiencies of Yoshida et al. JP '181 teaches a light transmitting film layer that can be used for agricultural greenhouses. JP '181 does *not* teach or suggest a greenhouse having a *removable* protective coating adhered to a substantially transparent surface. In contrast, JP '181 teaches that *the film itself* is the transparent surface. In fact, the title of JP

'181 refers to "greenhouse construction." *Constructing* a greenhouse from a light transmitting film layer in which this layer *is* the greenhouse is very different from *providing a coating* to a greenhouse. Given that the film taught by JP '181 is used to form the actual greenhouse, if one were to remove the polymeric film, one would remove the entire greenhouse. Thus, JP '181 provides no motivation to add a coating to a greenhouse. Accordingly, the combination of Yoshida et al. and JP '181 fails to render the claimed invention obvious.

The Office Action states that JP 05170941 and U.S. Patent No. 5,519,964 also teach the use of substantially similar polymer films in greenhouses, thus showing that at the time the invention was made the use of polymer films of Applicants was conventionally used in greenhouses. Applicants respectfully disagree. Neither JP '941 nor the '964 patent teach or suggest Applicants' claimed greenhouse having a removable protective coating adhered to a substantially transparent surface.

JP '941 teaches a film for use in greenhouses (abstract). This reference neither teaches nor suggests a removable protective coating adhered to a substantially transparent surface of a greenhouse. Like JP '181, JP '941 instead teaches that *the film itself is the transparent surface*. Accordingly, if one were to remove the polymeric film, one would remove the entire greenhouse.

The '964 patent teaches a double-layered composite plastic film for use with a greenhouse (column 1, lines 10-19). The '964 patent teaches that both layers are to be used together (column 5, lines 31-34), and that the composite plastic film is attached to an overlay polyester resin film by hot lamination (column 10, lines 43-55). Thus, the '964 patent teaches away from removing one of the two layers such that a single layer remains for use in a greenhouse. Nowhere does the '964 patent provide any motivation to make a greenhouse having a removable protective coating adhered to a substantially transparent surface. Accordingly,

Yoshida et al., JP '181, JP '941 and the '964 patent, alone or in combination, fail to render the claimed invention obvious.

With respect to claim 38, Yoshida et al. and JP '181 fail to render the claimed invention obvious. Wieczorrek et al. fails to cure the deficiencies of the primary references. Wieczorrek et al. is directed to a process for the shatterproof coating of glass surfaces, particularly glass bottles, by applying a physically drying priming lacquer containing a silane adhesion promoter (column 1, lines 7-9; column 2, lines 16-20). Nowhere does Wieczorrek et al. teach or suggest a greenhouse having a removable protective coating adhered to a substantially transparent surface.

Respectfully submitted,

Dated: December 7, 2007

John P. Iwanicki, Reg. No. 34,628

BANNER & WITCOFF, LTD.

28 State Street, 28th Floor

Boston, MA 02109

(617) 720-9600